



Suggested Retail Price List

Effective July 1, 2010 / En vigueur le 1 juillet, 2010
Replaces February 1, 2009 / Remplace le 1 février, 2009

5 Year Warranty / 3 Years on Amplifiers

Sugg.
Retail

Cerwin-Vega! Active Series Loudspeakers

With tremendous power output and exceptional low-frequency response, each custom designed driver uses legendary Cerwin-Vega! technology for maximum cone excursion and voice-coil efficiency. A unique and striking cast aluminum grille doubles as a heat-sink while cabinets are constructed of hardwood with a Coolex® polyurethane paint finish. *(Carpeted version not available.)*

CVA-28X

An extremely versatile dual 8-inch active full range speaker • Compact and easy to configure for different sound reinforcement applications • 3 built-in amplifiers • 400 watts continuous power, 800 watts peak power • Highly portable • Options include dual and triple speaker mount accessories, dedicated flyware kit (availability TBA): Stack 1 or 2 on the CVA-118 18" active subwoofer or up to 3 units on the CVA-121 21" active subwoofer • Also compatible with industry standard speaker poles and accessories • Only 20" tall • Contour switch provides alternate complex EQ circuit for smooth sound at high volumes • Choose between mic or line level input • Daisy chain power and audio cables for clean look when using multiple units per side • Constructed of road ready hardwood with the option of a Coolex® polyurethane paint finish.

PERFORMANCE DATA Frequency Response: 70 Hz - 20 KHz (± 3 dB); 60 Hz - 20 KHz (-10 dB) • System Type: Dual 8 Inch Active full range speakers • Power Capacity: 400 watts continuous; 800 watts peak • Max SPL: 128 dB at 800 watts • Connectors: inputs: XLR/F Balanced 1/4" TRS; outputs XLR/M 1/4" TRS • Controls: Level Line/Mic-D.I.; No Sub with Sub Countour/Off • Power Voltage selector • Nominal Beamwidth (-6 db SPL points): Horizontal 50°; Vertical 50° • Voice Coil: 4" • Enclosure / Finish: Multi-ply hardwood - Coolex® Paint • Dimensions: Front 11x 20" 279 x 520 mm • Rear 8 x 12" 216 x 305 mm • Weight: 48 lbs (21.8 kg)

975.00



CVA-115X

Cerwin-Vega!® Active High Performance 15-inch subwoofer • Legendary Cerwin-Vega!® Bass Performance • Custom 15-inch Cerwin-Vega Woofer (41 Hz - 135 Hz Freq. Response • Built-in Amplification with 700 watts continuous, 1,400 watt peak power • 4-position HPF & Sweepable LPF, Polarity & Link Out Controls • Master/ Slave Output • Cast Aluminum Grille (auxiliary heat sink for increased driver performance) • Hardwood Enclosure with Coolex Paint Finish • 4 detailed status LEDs

PERFORMANCE DATA Frequency Response: 41 Hz - 122 Hz (± 3 dB) • Peak Power Handling: 1400 watts • Program Power Handling: 700 watts • Frequency Range: 39 Hz - 150 Hz (-10 dB) • Max SPL: 130 dB • Crossover: LPF 65 Hz - 130 Hz / HPF Selectable outputs: 65Hz, 85Hz, 130Hz or Bypass • Driver: model, SW15C, size 15" * 15" Woofer with 3" Voice Coil • DIMENSIONS: (HxWxD): 22.5" x 18.3" x 21.9" • Weight: 92 lbs.

1185.00



CVA-118X

HIGH-PERFORMANCE, COMPACT 18-INCH ACTIVE SUBWOOFER WITH 700 WATTS OF EFFICIENT POWER OUTPUT • The legendary Cerwin-Vega woofer design is reflected in this 18-inch woofer offering maximum bass performance with extreme power handling and exceptional low-frequency response • Custom 18-inch Cerwin-Vega Woofer • Built-in System Amplification • Master/ Slave Output • Cast Aluminum Grille • Hardwood Enclosure with Paint Finish • Top-mount 35 mm Pole Socket.

PERFORMANCE DATA Frequency Response: 41 Hz - 135 Hz (± 3 dB) • Peak Power Handling: 1400 watts • Program Power Handling: 700 watts • Frequency Range: 38 Hz - 135 Hz (-10 dB) • Max SPL: 131 dB • Crossover: LPF 65 Hz - 130 Hz / HPF 35 Hz • Driver: model, SW18C, size 18" • 18" Woofer with 3" Voice Coil • DIMENSIONS: (HxWxD): 25.0" x 21.0" x 23.5" • Weight: 121 lbs.

1525.00



CVA-121X

FLAGSHIP 21-INCH ACTIVE SUBWOOFER WITH TREMENDOUS POWER OUTPUT AND EXCEPTIONAL LOW-FREQUENCY RESPONSE. The custom designed 21-inch driver uses the legendary Cerwin-Vega Stroker™ three spider technology for maximum cone excursion and voice-coil efficiency • Custom 21-inch Cerwin-Vega Woofer with Stroker • Built-in System Amplification • Master/ Slave Output • Onboard Parametric Equalizer • Cast Aluminum Grille • Hardwood Enclosure with Pain Finish and Casters • Top-mount 35 mm Pole Socket. Includes casters.

PERFORMANCE DATA Frequency Response: 35 Hz - 135 Hz (± 3 dB) • Peak Power Handling: 2400 watts • Program Power Handling: 1200 watts • Frequency Range: 32 Hz - 135 Hz (-10 dB) • Max SPL: 135 dB • Crossover: LPF 65 Hz - 130 Hz / HPF 25 Hz • Driver: model, SW21C, size 21" • 21" Woofer with 4" Voice Coil • Dimensions (HxWxD): 31.75" x 23.5" x 23.5" • Weight: 180 lbs.

2085.00



SUGGESTED RETAIL ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. LA POSSESSION DE CETTE LISTE DE PRIX NE CONFERE PAS AUTOMATIQUEMENT LE STATUT DE MARCHAND.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

copyright © Jam Industries Ltd.



Effective July 1, 2010 / En vigueur le 1 juillet, 2010
Replaces February 1, 2009 / Remplace le 1 février, 2009

Suggested Retail Price List

5 Year Warranty / 3 Years on Amplifiers

Sugg.
Retail

Cerwin-Vega! Passive Series Loudspeakers

CVP-118X

Cerwin-Vega!® Passive High Performance 18-inch subwoofer • Legendary Cerwin-Vega!® Bass Performance • Custom 18-inch Cerwin-Vega Woofer • 700 watts continuous, 1,400 watt peak power handling • 1/4", Neutrik Speakon connections • Cast Aluminum Grille (auxiliary heat sink for increased driver performance) • Hardwood Enclosure with Coolex Paint Finish • Top-mount 35 mm Pole Socket

975.00



CVP-121X

Cerwin-Vega!® Passive High Performance 21-inch subwoofer • Legendary Cerwin-Vega!® Bass Performance • Custom 21-inch Cerwin-Vega Stroker(tm) Woofer • 2,000 watts continuous, 4,000 watt peak power handling • 1/4", Neutrik Speakon connections • Cast Aluminum Grille (auxiliary heat sink for increased driver performance) • Hardwood Enclosure with Coolex Paint Finish • 3 Top-mount 35 mm Pole Sockets

1525.00



CVP-1152X

Single 15" 2-way Passive Speaker/Floor Monitor w/ high SPL! • Bi-ampable 2-Way Monitor Wedge w/ multiple fly points • Frequency Response: 59Hz - 18.5kHz (+/- 3dB) • Power Handling: 500 watts RMS - 1000 watts Peak • Max SPL: 130 dB w/ Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 99 dB • Connections: 1/4" Phone, Neutrik Speakon™ • 15" SW15C Woofer w/ Cast Alum. Frame • Durable Multi-Ply Construction • High Quality & Durable Coolex® paint • Rotatable Cast aluminum grill • Rotatable Mylar HF Horn for precise directivity.

1115.00



CVP-2153X

Dual 15" 3-way Passive Speaker w/ Mylar HF & extreme SPL! • Bi-ampable 3-Way w/ multiple flypoints • Frequency Response: 48Hz - 18.5kHz (+/- 3dB) • Power Handling: 1000 watts RMS - 2000 watts Peak • Max SPL: 134 dB w/ Nominal Impedance: 4 Ohms • Sensitivity (1w/1m): 101 dB • Connections: 1/4" Phone, Neutrik Speakon™ • Two 15" SW15C Woofers w/ Cast Alum. Frame • Durable Multi-Ply Construction • High Quality & Durable Coolex® paint • Rotatable Cast aluminum grill • Rotatable Mylar HF Horn for precise directivity.

1400.00



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. LA POSSESSION DE CETTE LISTE DE PRIX NE CONFERE PAS AUTOMATIQUEMENT LE STATUT DE MARCHAND.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

copyright © Jam Industries Ltd.



Suggested Retail Price List

Effective July 1, 2010 / En vigueur le 1 juillet, 2010
Replaces February 1, 2009 / Remplace le 1 février, 2009

5 Year Warranty / 3 Years on Amplifiers

CVpole-1A

Adjustable Speaker Pole • (1) Reinforced steel telescoping speaker support pole (Holds up to 150lbs) • Includes twist lock & secure locking-pin for height adjustment • Designed to be used with CVA Active / Passive Series • For use with CVANT-2A & CVANT-3A Speaker Support Systems • Compatible with industry standard 35mm pole cups

Sugg.
Retail

59.00



CVant-2A

Dual Speaker Mount Accessory Kit • (1) Custom designed steel dual speaker mount for CVA-28 • Includes 1 power and 1 audio cable for daisy chaining • Fixed array position for optimized performance • For use with Cerwin-Vega!® CVPOLE-1A speaker pole (sold separately) • Also compatible with industry standard 35mm speaker poles

75.00



CVant-3A

Triple Speaker Mount Accessory Kit • (1) Custom designed steel triple speaker mount for CVA-28 • Includes 2 power and 2 audio cables for daisy chaining • Fixed array position for optimized performance • For use with 2-Cerwin-Vega!® CVPOLE-1A speaker poles (sold separately) • Also compatible with industry standard 35mm speaker poles


125.00



CVFLY-1A

CVA-28 Custom flyware accessory kit designed for CVA-28 to maintain proper suspension orientation. One kit used for first two CVA-28s with additional kits need for each additional CVA28 • Includes 1 short power, 1 short audio cable for daisy chaining, 2 M8 eye bolts and misc. hardware • Weight: 2.5 lbs (1.15 kgs) • Dimensions: 31" x 3" dia. (787mm x 76mm dia.).

325.00



NEW

"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRIX N'INCLUT PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. LA POSSESSION DE CETTE LISTE DE PRIX NE CONFERE PAS AUTOMATIQUÉMENT LE STATUT DE MARCHAND.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

copyright © Jam Industries Ltd.

Suggested Retail Price List

Effective July 1, 2010 / En vigueur le 1 juillet, 2010
Replaces February 1, 2009 / Remplace le 1 février, 2009

5 Year Warranty / 3 Years on Amplifiers

Sugg.
Retail

VEGA!BASS Folded Horn Subwoofers

Cerwin-Vega! folded horns, on average, produce 6dB more output at 1 watt than a dual 18" vented box, resulting in 4 times the output with half the number of drivers. Costs are drastically reduced due to the need for fewer cabinets which are able to deliver a superior level of clean clear bass, and fewer amps are needed. The net result is loud sub bass that moves enough air to blow the hairpiece off the competition.

JE-36C

18" Folded Horn w/ 3" Voice Coil & redesigned cabinet • Frequency Response: 35 Hz - 300 Hz • Peak Power Handling: 1000 watts • Program Power Handling: 500 watts • Max SPL: 136 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 106 dB • Suggested Crossover Frequency: 60Hz to 160Hz Low Pass • Connections: 1/4"Phone, Neutrik Speakon™ • 18" Woofer with 3" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability. Includes casters.

975.00



EL-36C

18" Folded Horn w/ 3" Voice Coil & redesigned cabinet • Frequency Response: 30 Hz - 300Hz (-3dB) • Peak Power Handling: 1000 watts • Program Power Handling: 500 watts • Max SPL: 136 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 106 dB • Connections: 1/4"Phone, Neutrik Speakon™ • Custom 18" Woofer with 3" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability • New cast aluminum door & steel cabinet bracing. Includes casters.

975.00



AB-36C

Stroker™ 18" Folded Horn w/ 4" Voice Coil & redesigned cabinet • Frequency Response: 30 Hz - 300Hz (-3dB) • Peak Power Handling: 1600 watts • Program Power Handling: 800 watts • Max SPL: 140 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 108 dB • Connections: 1/4"Phone, Neutrik Speakon™ • Stroker® 18" Woofer with 4" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability • New cast aluminum door & steel cabinet bracing. Includes casters.

1250.00



TS-42C

Stroker™ 21" Folded Horn w/ 4" Voice Coil & extreme low end bass! • Unprecedented 21" Woofer using Stroker™ Technology for increased power handling with less distortion. Frequency Response: 25Hz - 135Hz (+/- 3dB) • Peak Power Handling: 4000 watts • Program Power Handling: 2000 watts • Max SPL: 144 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 108 dB • Connections: Neutrik Speakon™ • Stroker® 21" Woofer with 4" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability • New cast aluminum door & steel cabinet bracing. Includes casters.

1950.00



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. LA POSSESSION DE CETTE LISTE DE PRIX NE CONFERE PAS AUTOMATIQUEMENT LE STATUT DE MARCHAND.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

copyright © Jam Industries Ltd. 



Suggested Retail Price List

Effective July 1, 2010 / En vigueur le 1 juillet, 2010
Replaces February 1, 2009 / Remplace le 1 février, 2009

5 Year Warranty / 3 Years on Amplifiers

Sugg.
Retail

INTENSE!

Entry-level portable loudspeaker range featuring titanium compression drivers, plywood cabinets and Cerwin-Vega's exclusive HighRoad horns • Highly competitive alternative to more traditional product lines in this segment • Look and feature sets usually found only in systems costing far more.

INT-152

Full Range 8-Ohm, 2-way, 15-inch passive reflex speaker • Featuring Cerwin-Vega's exclusive HighRoad horns • 600 watts • Frequency response: 50-Hz to 20kHz • Suited as stand-alone sound reinforcement solution or for augmenting with Int-118S subwoofer • Carpeted finish.

485.00



INT-252

Full Range Dual 15" 2.5-way Speaker • 4-Ohm design • Two 15-inch woofers with 2.5 inch high temperature voice coils • Cerwin-Vega's HighRoad horns • 1000 watts • Frequency response: 45 Hz to 20 kHz • Gives users flexibility to use it as stand alone, arrayed or in conjunction with 118S subwoofer • Carpeted finish.

665.00



INT-118S

Passive Subwoofer • Single 18-inch transducer with cast aluminum frame for added strength and reliability • 3-inch voice coil for sustained power handling, the largest in its class • Frequency response: 38 Hz to 500 Hz • 500 watts • Carpeted finish.

665.00



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. LA POSSESSION DE CETTE LISTE DE PRIX NE CONFERE PAS AUTOMATIQUEMENT LE STATUT DE MARCHAND.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

copyright © Jam Industries Ltd.



Effective July 1, 2010 / En vigueur le 1 juillet, 2010
Replaces February 1, 2009 / Remplace le 1 février, 2009

Suggested Retail Price List

5 Year Warranty / 3 Years on Amplifiers

Sugg.
Retail

Cerwin-Vega Amplifiers

Available in three models these rugged, 2U rackmountable, workhorses feature state-of-the-art designs which include a highly efficient tunnel cooling system for reliable, cool running operation, signal and clip indicators for convenient monitoring of the amplifier's status, and the right connectors for integration into most any environment. Rear panel inputs include the balanced Combo (combined XLR and 1/4" TRS) connectors. Outputs are 5-way binding post and Speakon® connectors. Also on the rear panel: High Pass Filter switch, Limiter switch, and a Mode select switch (for bridged/parallel/stereo operation).



CV900

Peak Power: 850 watts (bridged @ 4 ohms).

499.00

CV1800

Peak Power: 1800 watts (bridged @ 4 ohms).

699.00

CV2800

Peak Power: 2800 watts (bridged @ 4 ohms).

899.00

CV5000

Peak Power: 5000 watts (bridged @ 4 ohms).

1399.00



SUGGESTED RETAIL ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. / Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE. PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS. POSSESSION OF THIS PRICE LIST DOES NOT REPRESENT DEALER STATUS. LA POSSESSION DE CETTE LISTE DE PRIX NE CONFERE PAS AUTOMATIQUEMENT LE STATUT DE MARCHAND.

Orders/Commandes: 1-800-667-3745 • Fax Orders/Commandes: 888-918-2244 or/ou 514-457-4986

Service Toll Free/Sans frais: 1-877-JAM-LINE • Service Fax: 1-800-563-2591

web: www.eriksonaudio.com • Electronic Price List Requests (please specify your requirements): benjamin.russell@jamindustries.com

Head Office - Siège Sociale: Montréal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • email: info@eriksonaudio.com

copyright © Jam Industries Ltd.

Suggested Retail Price List

5 Year Warranty / 3 Years on Amplifiers


Sugg.
Retail

Structural Design Series

The SDS-525 is equipped with an adjustable bracket to accommodate both wall and ceiling installations. The bracket with the circular adapter is intended for ceiling mounting to a threaded rod and offers a maximum tilt angle of 60°. Without the circular adapter the bracket can be screwed directly to the wall with a maximum tilt angle of 45°.

Specifically designed for professional applications including foreground and background music playback. Small, high-impact, polyresin cabinets with sleek contours and durable metal grilles. Push terminal speaker connections. Weather-resistant. Master cartons contain three pairs.

Sold in pairs. Prices are per pair.



SDS-525WT

225.00

White 5-1/4" 2-way weather resistant speaker • Now with dial selectable transformerless or 70v transformer for added versatility • **Price is per pair.**

PERFORMANCE DATA Frequency Response: 68 Hz - 20 kHz • Design: 2-way, bass-reflex • Crossover Frequency: 3.5 kHz • Power Handling: 150 watts, IEC-268-5 • Nominal Impedance: 4 ohms • Sensitivity: 88 dB @ 1 watt/meter • Drivers: (1) 1" mylar-dome tweeter, (1) 5.25" co-polymer woofer with butyl-rubber surround • Dimensions:(H x W x D) Inches: 8-3/8" x 6-7/16" x 4-1/8" • Weight:(unpacked, each speaker) 3.3 lb.

SDS-525BT

225.00

As above, BLACK • **Price is per pair.**