



Limited Lifetime Warranty / Garantie à vie limitée

Essentials

Suggested Retail Price List



Effective November 7, 2008 / En vigueur le 7 novembre, 2008

Replaces November 1, 2008 / Remplace le 1 novembre, 2008

	Sugg. Retail	Sugg. Retail
Floor Standing Racks - Black		
<ul style="list-style-type: none"> Available in 23.62 inch and 35.43 inch depths Available in 18,22,27,42 rack capacity Meets ANSI/EIA RS-310-D, DIN41491;Part1, IEC297-2, DIN41491;Part7, GB/T3047.2-92 standards 1.2mm removable side panels with spring latch 1.2mm SPCC cold rolled steel top and bottom & 2.0mm steel mounting rail Maximum static load of 800KG Perforated top 1.5 mm M6 mounting angle. M6 rack screws and captive nuts provided. Rack U numbers printed on the rack rail 12.70mm, 15.88mm, 19.05mm, 25.40mm, and 38.10mm Cable entry knock-outs on top VHF/UHF antenna 15.88mm knockouts on sides Black powder coated finish Adjustable position front & rear rack rails Cabinets are gangable using optional baying kit Quick release front and rear doors which come in perforated steel or tempered glass with vented edge Spring-loaded, push & turn locking system on glass door only 		
		GR-FS4B4223TEC
		42U, 600mm Deep, Gray Floor Standing Rack w/ Vented Steel Front & Back Doors
		GR-FS4B1835TEC
		18U, 900mm Deep, Black Floor Standing Rack w/ Vented Steel Front & Back Doors
		GR-FS4B2235TEC
		22U, 900mm Deep, Black Floor Standing Rack w/ Vented Steel Front & Back Doors
		GR-FS4B2735TEC
		27U, 900mm Deep, Black Floor Standing Rack w/ Vented Steel Front & Back Doors
		GR-FS4B4235TEC
		42U, 900mm Deep, Gray Floor Standing Rack w/ Vented Steel Front & Back Doors
		Vented Glass Front
		GR-FS4B1823TDC
		18U, 600mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B2223TDC
		22U, 600mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B2723TDC
		27U, 600mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B4223TDC
		42U, 600mm Deep, Gray Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B1835TDC
		18U, 900mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B2235TDC
		22U, 900mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B2735TDC
		27U, 900mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		GR-FS4B4235TDC
		42U, 900mm Deep, Black Floor Standing Rack w/ Vented Glass Front Door & Vented Steel Back Door
		Vented Steel Front
		GR-FS4B1823TEC
		18U, 600mm Deep, Black Floor Standing Rack w/ Vented Steel Front & Back Doors
		GR-FS4B2223TEC
		22U, 600mm Deep, Black Floor Standing Rack w/ Vented Steel Front & Back Doors
		GR-FS4B2723TEC
		27U, 600mm Deep, Black Floor Standing Rack w/ Vented Steel Front & Back Doors



SUGGESTED RETAIL ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS OR IN YOUR RELATIONS WITH ANY OTHER PERSON IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations

de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193?

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siege Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-5055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.





Limited Lifetime Warranty / Garantie à vie limitée



Essentials



Effective November 7, 2008 / En vigueur le 7 novembre, 2008

Replaces November 1, 2008 / Remplace le 1 novembre, 2008

Suggested Retail Price List

	Sugg. Retail		Sugg. Retail
Sectional Wall Racks - Black		Fixed Wall Racks	
<ul style="list-style-type: none"> · Hinged back double section welded frame construction · 550mm depth · Available in 9, 12, 18U rack capacity · 1.2mm removable side panels with spring latch · 1.2mm cold rolled steel top and bottom · Fan ready perforated top · 1.5 mm M6 mounting angle · Rack U numbers printed on the rack rail · M6 rack screws and captive nuts provided · 12.70mm, 15.88mm, 19.05mm, 25.40mm, and 38.10mm cable entry knockouts on top · VHF/UHF antenna 15.88mm knockouts on sides · 254mm x 254mm rear access knockout for cable entry 		<ul style="list-style-type: none"> · Fixed back single section welded frame construction · 450mm depth · Available in 9U, and 12U rack capacity · Comes with removable 1.2mm mounting panel for easy wall installation · 1.2mm removable side panels with spring latch · 1.2mm cold rolled steel top and bottom · Fan ready perforated top · 1.5 mm M6 mounting angle · Rack U numbers printed on the rack rail · M6 rack screws and captive nuts provided · 12.70mm, 15.88mm, 19.05mm, 25.40mm, and 38.10mm Cable entry knockouts on top · VHF/UHF antenna 15.88mm knockouts on sides · 254mm x 254mm rear access knockout for cable entry 	
			
Vented Glass Front		Vented Glass Front	
GR-WH4B0921TD	466.66	GR-WF4B0917TD	308.00
9U, 550mm Deep, Black Sectional Wall Mounted Rack w/ Vented Glass Front Door		9U, 450mm Deep, Black Fixed Wall Mounted Rack w/ Vented Glass Front Door	
GR-WH4B1221TD	513.33	GR-WF4B1217TD	364.00
12U, 550mm Deep, Black Sectional Wall Mounted Rack w/ Vented Glass Front Door		12U, 450mm Deep, Black Fixed Wall Mounted Rack w/ Vented Glass Front Door	
GR-WH4B1821TD	653.33	Vented Steel Front	
18U, 550mm Deep, Black Sectional Wall Mounted Rack w/ Vented Glass Front Door		GR-WF4B0917TE	308.00
Vented Steel Front		9U, 450mm Deep, Black Fixed Wall Mounted Rack w/ Vented Steel Front Door	
GR-WH4B0921TE	466.66	GR-WF4B1217TE	364.00
9U, 550mm Deep, Black Sectional Wall Mounted Rack w/ Vented Steel Front Door		12U, 450mm Deep, Black Fixed Wall Mounted Rack w/ Vented Steel Front Door	
GR-WH4B1221TE	513.33		
12U, 550mm Deep, Black Sectional Wall Mounted Rack w/ Vented Steel Front Door			
GR-WH4B1821TE	653.33		
18U, 550mm Deep, Black Sectional Wall Mounted Rack w/ Vented Steel Front Door			

SUGGESTED RETAIL ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS OR IN YOUR RELATIONS WITH ANY OTHER PERSON IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193?

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siege Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-5055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.








Essentials



Effective November 7, 2008 / En vigueur le 7 novembre, 2008

Replaces November 1, 2008 / Remplace le 1 novembre, 2008

Suggested Retail Price List

	Sugg. Retail		Sugg. Retail
Rack Accessories		GE-KBD-DRAWER	
RACK DRAWERS			
Rack Drawer Features: <ul style="list-style-type: none"> • Cold roll 16 gauge 1.5mm steel construction • Fully enclosed drawer • Drawer has lock knock-out, lock and key included • Two 2" rubber grommets for rear access • Black powder coated finish • Spring-loaded latches • Available in 2, 3 or 4 space size 		 <p>1U Keyboard Drawer</p> <p>Keyboard Drawer Features:</p> <ul style="list-style-type: none"> • Cold roll 16 gauge 1.5mm steel construction • Compartment for keyboard with separate compartment for mouse • Cable management system with retractable arm • Rear access for cables • Black powder-coated finish • Fits most standard small pattern keyboards 	
 <p>GE-DRAWER-2U 112.00</p> <p>2U Drawer, 14.2" Deep</p>		<hr/> <p>GE-WIRELESSDRWR 158.66</p>  <p>3U Wireless Mic Drawer</p> <p>Wireless Drawer Features:</p> <ul style="list-style-type: none"> • Cold roll 16 gauge 1.5mm steel construction • Fully enclosed drawer & spring-loaded latches • Drawer has lock knock-out for addition of lock. Lock and key included • Black powder-coated finish • 3U size drawer with wireless microphone nest • Nest stores 4 wireless microphones, body packs, headsets and accessories • Wireless storage accommodates microphones with clip still attached • Body pack and microphone storage area lined with polyethylene foam with tricot covered plywood dividers • Foam storage compartment with cut-outs to hold up to 16 AA batteries • Spacious accessory compartment to hold larger items and head-worn microphones 	
<hr/> <p>GE-DRAWER-3U 121.33</p> <p>3U Drawer, 14.2" Deep</p>			
<hr/> <p>GE-DRAWER-4U 130.66</p> <p>4U Drawer, 14.2" Deep</p>			

"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193?

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.












Limited Lifetime Warranty / Garantie à vie limitée

Essentials

Erikson
AUDIO

Effective November 7, 2008 / En vigueur le 7 novembre, 2008
Replaces November 1, 2008 / Remplace le 1 novembre, 2008

Suggested Retail Price List

	Sugg. Retail		Sugg. Retail
RACK SHELVES			
GE-KBD-SHELF	121.33	GE-SHLFVNT15-1U	56.00
			
Sliding Shelf for Keyboard		1U Utility Shelf, 15" Deep, Vented	
Keyboard shelf Features:		Vented Rack Shelf Features:	
<ul style="list-style-type: none"> • Cold roll 16 gauge 1.5mm steel construction • Sliding shelf for keyboard with mouse shelf • Black powder-coated finish • Fits most standard keyboards 		<ul style="list-style-type: none"> • Cold roll 16 gauge 1.5mm steel construction • Elongated vent holes for optimum air circulation • GE-SHLFVNT-15-1U is 15" deep • GE-SHLFVNT-15-2U is 15" deep • GE-SHLFVNT-17-3U is 17" deep • Rear flange for rigidity • Black powder coated finish 	
GE-SHLF10-1U	37.33	GE-SHLFVNT15-2U	65.33
			
1U Utility Shelf, 10" Deep		2U Utility Shelf, 15" Deep, Vented	
Rack Shelf Features:		GE-SHLFVNT17-3U	74.66
<ul style="list-style-type: none"> • Cold roll 16 gauge 1.5mm steel construction • GE-SHLF-10-1U is 10" deep • GE-SHLF-15-2U is 15" deep • Rear flange for rigidity • Black powder coated finish 			
		3U Utility Shelf, 17" Deep, Vented	
GE-SHLF15-2U	56.00	RACK PANELS	
2U Utility Shelf, 15" Deep		GE-PNL-ST-FLT-1	6.44
GE-SHLF-SLD-1U	74.66		
		1U Steel Flat Panel	
1U Sliding Shelf, 13.8" Deep		GE-PNL-ST-FLT-2	9.24
		2U Steel Flat Panel	

SUGGESTED RETAIL ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193?

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siege Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.





Limited Lifetime Warranty / Garantie à vie limitée





Essentials



Effective November 7, 2008 / En vigueur le 7 novembre, 2008

Replaces November 1, 2008 / Remplace le 1 novembre, 2008

Suggested Retail Price List

	Sugg. Retail		Sugg. Retail
GE-PNL-ST-FLT-4	14.84	GE-PNLVNTSTD-1U	11.20
4U Steel Flat Panel			
GE-PNL-FAN1	28.00	1U Slightly Flanged Perforated Panel	
		Perforated Panel Features:	
3U Vented Fan Panel, 1 fan		• Cold roll 1.2mm steel construction	
Fan Panel Features:		• 5/32" vent holes for air circulation	
• Cold roll 1.2mm steel construction		• Slight flange for rigidity	
• Elongated, contoured vent holes		• Available in 1, 2 or 4 space sizes	
• Flanged for support		GE-PNLVNTSTD-2U	14.93
• Available in 1, 2 or 3 fans		2U Slightly Flanged Perforated Panel	
• Black powder coated		GE-PNLVNTSTD-4U	19.60
GE-PNL-FAN2	30.80	4U Slightly Flanged Perforated Panel	
3U Vented Fan Panel, for 2 fans		RACK SCREWS	
GE-PNL-FAN3	33.60	GE-SCRW-P-100M6	28.00
3U Vented Fan Panel, for 3 fans			
GE-PNLSECFIX-1U	22.40	Rack Screws - 100 Pack	
		Features:	
1U Security Cover Fixed		• Corrosion resistant coating	
Security Panel Features:		• 10/32 threaded, 3/4" long	
• Cold roll 1.2mm steel construction		• Protective cup washer included	
• Protection against tampering		GE-SCRW-P-25M6	8.40
• Non PVC rubber edging on panel will not scratch gear		Rack Screws - 25 Pack	
• 5/32" holes for air circulation and visibility of gear settings		RACK OPTIONS & ACCESSORIES	
• 1" raised space between panel and gear		GE-CBLMNGMTL-18	33.60
• Available in 1, 2, 3, or 4 space sizes		18U Metal Cable Management Slot	
GE-PNLSECFIX-2U	25.20	GE-CBLMNGMTL-22	39.20
2U Security Cover Fixed		22U Metal Cable Management Slot	
GE-PNLSECFIX-3U	28.00	GE-CBLMNGMTL-27	50.40
3U Security Cover Fixed		27U Metal Cable Management Slot	
GE-PNLSECFIX-4U	36.40		
4U Security Cover Fixed			

SUGGESTED RETAIL ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS OR IN YOUR RELATIONS WITH ANY OTHER PERSON IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations

de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.

PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193?

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siege Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.





Limited Lifetime Warranty / Garantie à vie limitée

Essentials



Effective November 7, 2008 / En vigueur le 7 novembre, 2008
Replaces November 1, 2008 / Remplace le 1 novembre, 2008

Suggested Retail Price List

	Sugg. Retail	Sugg. Retail
GE-CBLMNGMTL-42 42U Metal Cable Management Slot	72.80	
GE-CBLMNGMTL-47 47U Metal Cable Management Slot	84.00	
GE-CBLMNGWC-1U 1U Cable Management With Cap	16.80	
GE-CBLMNGWC-2U 2U Cable Management With Cap	28.00	
GE-FS-KITCST2 2" Heavy duty caster Kit, 2 locking	28.00	
GE-FS-KITCST2.5 2.5" Heavy duty caster Kit, 2 locking	33.60	
GE-FS-KIT-LVL M12 Adju. Feet for FS4 Racks, w/ loading capac. 320KGS	5.60	
GE-FS-KIT-BAY Baying Kit For FS4 Cabinet	5.60	
GE-SDR-LOCK Side Door Lock For Side Door Panel	5.60	
GE-1U-CBLMNGPL 1U Plastic Ring Cable Management	22.40	
GE-SHUNTRAIL-19 Shunting Rail, 19" Installation	13.44	
GE-LRAIL-23 23 L rail for 23" Depth Cabinets	8.40	
GE-LRAIL-35 35 L rail for 35" Depth Cabinets	13.44	
GE-CBLENTBRSH1U 1U Brush Type Cable w/ 1 Brush	44.80	
GE-FS4CBLENTBRS Cable Entry w/ Brush	72.80	

"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS. Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193?

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siege Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-50055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.

