

One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail	Sugg. Retail
--	-----------------	-----------------

## PC DJ

### VCI-100 749.00

The VCI-100 is highly PROFESSIONAL with a JOG wheel built with sensor and control technology from Vestax turntables. a perfect solution for mobile live with the VAI-40. Also featured is a variable curve generator that controls the crossfader curve from the hardware with original faders. The VCI-100 is built with high quality mechanical parts and a PCB designed for accurate and stable operation.

- 90 parameters assignable to control section via USB MIDI IN/OUT.
- JOG wheel constructed with a high-resolution pulse sensor; touch sensor and acrylic platter mechanism.
- Adjust crossfader curve to your preference whether or not the software you use has curve control.
- The DATA SEND LED and JOG wheel SENSOR LED provides clear visual of current status
- USB bus-powered or use included power adaptor
- TRAKTOR LE (Native Instrument Inc.) bundled
- Simple plug & play with Apple and Windows computers.
- Compatible with all software that allows MIDI control assignment.
- The metal body the size of a typical laptop
- Thin but highly durable, compact and convenient for transportation.
- Power supply: DC-9



### VCI-100 Black 749.00

As above in black.



### Traktor Installation CD 35.00

Traktor software on CD with serial number.

### MixVibes Template Kit 375.00

Template for VCI-100 w/ MixVibes Pro 6 Edition software (VCI-100 not included) • The VCI-100 MixVibes PRO edition includes a full version of MixVibes PRO. Compact and sturdy, this pack has everything a professional DJ can require in a portable high end solution. Use the VCI-100 MixVibes PRO edition to mix and scratch 2 video files as well! • Minimum System Requirements: Windows VISTA or XP • PENTIUM III 1 Ghz minimum • 256 Mo RAM memory minimum • Output: 1 stereo, quad, 5.1 or 7.1 soundcard • DIRECT X or ASIO



### Tub-2 150.00

The TUB-2 is an interactive converter which converts audio input/output from various equipment to computers. Connection between DJ mixers, handytrax and others with the TUB-2 enables vinyl and other analog data transfer to computers. Also, digital sound file output from software to mixers via USB to mix with vinyl and CD's and output to other audio devices. The TUB-2 provides Vestax tuned high grade sound quality, operates with USB bus power and doesn't require any drivers for connection with Windows and Macintosh computers



One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail		Sugg. Retail
<b>VAI-40</b> VAI-40 is a powerful, yet affordable, USB audio solution for computer remix - a perfect solution for mobile live with the VCI-100 USB DJ Controller. Besides standard recording and playback functionality, VAI-40 provides everything needed for professional music production. In its compact case VAI-40 provides 4 analog input (2ch stereo) and 4 analog output channels (2ch stereo) with RCA connectors and a combined stereo headphone output. With support for ASIO 2.0, CoreAudio and MME / WDM, VAI-40 is compatible to all major music and DJ applications like Cubase, Logic, Sonar, Reason, Reaktor, MixVibes, Traktor DJ Studio, LIVE8, BPM Studio and much more. <ul style="list-style-type: none"> <li>• 4 mono/2 stereo input channels and 4 mono/2 stereo output channels with RCA connectors</li> <li>• -10dBV input / output level (unbalanced)</li> <li>• Headphone output (1/4" connector) with 60mW amplifier</li> <li>• ASIO 2.0 and CoreAudio support (4 inputs / 4 outputs)</li> <li>• MME / WDM support (2 inputs / 2 outputs)</li> <li>• Standard USB connection to PC or Mac compatible with Windows 2000, XP and Mac OS X</li> </ul> 	310.00	<b>VCM-100</b> USB MIDI controller / audio interface. <p>For the mix type LAPTOP DJs, the VCM-100 is now attachable to your laptop as one unit with a LAPTOP and VCI connector. Knock the unit down or hook it up in just 3 seconds, easy, smart, simple and tidy! <b>Power Supply: DC-9.</b></p> 	499.00
<b>VAI-80</b> AKA "THE TANK" • Compact and stylish USB digital audio interface capable of multi channel playback and recording • Each input has gain & 2-band EQ • Also loaded with XLR output for direct connection with club PA systems • LED input/output level indicator • Selectable headphone monitor output • MIC (phono)input. 	435.00	<b>RK-100</b> The RK-100 is a solid laptop stand for the VCM-100 DJ Midi Controller. This threepart stand is easy to set up and guarantees that the Controller has a stable and solid frame. The storage surface also functions as a collar for the laptop which always can get hot after long sessions. The light weight and solid material of the RK-100 makes the transport easy and comfortable. 	125.00
		<b>Traktor Installation CD</b> Traktor software on CD with serial number.	35.00

\*SUGGESTED RETAIL\* ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.

Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
 PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.











copyright © Jam Industries Ltd.

One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail		Sugg. Retail
<b>VCI-300</b> DJ MIDI controller. USB based, featuring two jog wheels with sensor and control technology from Vestax's turntables, the VCI-300 provides professional DJs and Producers with the "feel" of hardware mixing in the software realm. JOG wheel controls constructed with high resolution pulse sensors, touch sensors, and acrylic platter mechanisms for pitch bending, scanning and scratching with speed and accuracy. 66 software parameters assignable to control section via USB MIDI IN/OUT. Includes SERATO ITCH DJ software and built-in audio interface with standard 4in/4out and headphone connection. New weight reduced JOG wheel and adjustable JOG wheel torque mechanism to avoid vibration from low frequency feedback. <b>Power Supply: DC-9.</b>	1249.00	 <b>TR-1</b> New compact MIDI controller with "well thought out" control layout built for functionality • Smooth 60mm slide input faders for high-precision mixing • Selectable deck control (Max 4channels) • Adjustable LED light volume • Can control up to more than 160 parameters of compatible software • Bundled software: Native Instruments Traktor LE. <b>Power Supply, DC-9.</b>	825.00
			
 <b>VFX-1</b> MIDI effect controller • Expands possibilities of mixing with Serato ITCH • Effect Channel select switch • Efficient parameter control with high grade ALPS 27 rotary volume • Soft touch push switches.	375.00	<b>VCM-600</b> DJ MIDI controller designed with Vestax mixer technology. 160 DJ software parameters can be assigned to the advanced control section • Excellent compatibility with Ableton LIVE 6 and 7. Excellent mixing performance for DJs who mix with digital music media and computer based systems. Shares the same quality control parts used on Vestax mixers and 2 LED panels are placed on each side of the controller to illuminate the top panel for clear operability and vision in clubs. High quality input faders and pitch faders from the VCI-100 and PMC-580 are also applied to the VCM-600 for advanced operability. Simple plug and play activation with Apple and Windows operating system computers. <b>Includes Ableton Live Lite 7 Vestax Edition software. Power Supply, DC-9.</b>	1249.00
			
 <b>Custom Jog Wheel Bike</b> Custom jog wheel for VCI-300. Available end November.	75.00		
			
 <b>Custom Jog Wheel Flame</b> Custom jog wheel for VCI-300. Available end November.	75.00		
			

\*SUGGESTED RETAIL\* ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.  
 Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
 PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.

One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail	Sugg. Retail
--	-----------------	-----------------

### VDA-1000

499.00

Portable Digital Power Amplifier designed for new generation of computer remix Dj's. Best efficiency and Energy savings. Switching technology offers high efficiency and significantly lower heat dissipation and long life. The size and power makes a new standard for the mobile DJ world • USB I/O • Thermal protection (over-temperature power limiting, thermal shutdown) • Short-circuit / overload output protection • Clip limiter, Permanent signal limiter, High frequency protection.

#### Specifications

• Slew Rate (8W) 50V/Us Gain 32 dB • S/N ratio 105 dB/A • Distortion <0.5% (THD, DIM, SMPTE) • Bandwidth 10 Hz -30KHz • Impedance 10 K ohm • Damping factor 500Hz/8 ohm > 500 • Bridged 8ohm = 1000W 16 ohm = 520 W • Power EIAJ, both channels driven: 4 ohm = 2X 500W; 8 ohm = 2X 270W • Power continuous, both channels driven: 4 ohm = 2X 390W (1KHz, 0.5% THD); 8 ohm = 2X 240W (1KHz, 1% THD)



### CD Players

#### CDX-05 BLK

685.00

CD PLAYER WITH VINYL SOUND EMULATION (GLOSSY BLACK)

- PLAYS CD-DA/CD-R/CD-RW AND MP3'S
- 3 CUE POINTS, SAMPLER, EFFECTS
- BPM COUNTER (AUTO/MANUAL)
- INSTANT REVERSE PLAY
- BRAKE MODE W/ BRAKE TIME ADJUST
- REAL VINYL SCRATCHING POSSIBLE (USING TT-M1)
- JOGWHEEL SCRATCH
- MASTER TEMPO AND KEY CONTROL
- INPUTS: FADER START (JACK 3,5 MM)
- OUTPUTS: CD OUT : STEREO RCA; DIGITAL OUT: S/PDIF RCA
- SEAMLESS LOOP WITH LOOP OUT ADJUST
- DISPLAY: CLEAR LCD: WHITE ON BLACK FOR EASY READING
- PITCHRANGE SELECTABLE (+/- 0; 6; 10; 50 AND 100 %)
- FIRMWARE UPDATEABLE VIA CD-ROM FOR FUTURE SOFTWARE IMPROVEMENTS
- HIGH QUALITY, FRONT LOADING SLOT MECHANISM.
- POWER SUPPLY: DC-8



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.

Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

copyright © Jam Industries Ltd.

Sugg.  
RetailSugg.  
Retail

## Premium Series Mixer

### R2

3125.00

Following the acclaimed R1 flagship mixer, the R2 is a simple rotary mixer that delivers superb sound quality. The super smooth faders are expertly engineered with an excellent resistance characteristic and an accurate torque control that provides the best sound quality found on any mixer. An input gain on the front allows for tight level calibration and a high quality 4 band isolator with a frequency shift switch lets DJs set the frequency separation point between hi, mid-hi, mid-low and low.

TECHNICAL SPECIFICATIONS: • 5 channel rotary mixer • 10 inputs • Gain controls • Split/master cue headphone monitoring options • Balanced XLR master output • 6.3mm (1/4" jack) master output • Booth output • Record output • Effects loop/send & return on each channel • 4 band master eq with isolator function • 3 band booth eq • Silver • 137mm (h) x 482 (w) x 235 (d) • Rack mountable. **SPECIAL ORDER ONLY**



### PMC-580Pro

2750.00

The Ultimate FULL Digital mixer, with effects assignable independently to each channel while adding another MASTER effect to the Master OUT • Sets new standards of sound and quality • Switchable EQs and Isolators per channel • Infinite mixing possibilities • Digital and analog inputs and outputs, USB connectivity, and all current input functions are standard with this mixer • Power Supply: AC-20.



## VMC Series

### VMC-002XLUSB BLK

310.00

- LINE IN (RCA) x 2
- PHONO IN (RCA) x 2
- MIC IN (1/4inch) x 1
- LINE OUT x 2 (RCA)
- MASTER OUT: BALANCED XLR
- HEADPHONE OUT (1/4) x 1
- 3 BAND ISOLATORS PER CHANNEL (-INFINITY - +6db)
- CROSSFADER CURVE ADJUST
- DIMENSION(S)/WEIGHT: 264(W) x 105(H) x 260(D)mm / 4.0kg
- POWER: DC15A 500mA
- REPLACEMENT FADERS: CF-RUS/CF-R/CF-PCV
- **Includes new "TUB-1" USB Port for infinite digital connectivity.**



### VMC-004XLU BLK

499.00

- LINE IN (RCA) x 4
- PHONO IN (RCA) x 4
- MIC IN (1/4inch) x 2
- LINE OUT x 2 (RCA)
- MASTER OUT: BALANCED XLR
- HEADPHONE OUT (1/4) x 1
- 3 BAND ISOLATORS PER CHANNEL (-INFINITY - +6db)
- CROSSFADER CURVE ADJUST
- DIMENSION(S)/WEIGHT: 327(W) x 105(H) x 274(D)mm / 6.5kg
- POWER: DC15A 500mA
- REPLACEMENT FADERS: CF-RUS/CF-R/CF-PCV
- **Includes new "TUB-1" USB Port for infinite digital connectivity.**



One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail	Sugg. Retail
--	-----------------	-----------------

### VMC-004FXU BLK

749.00

Same as VMC-004XLU BLK with new built-in multi-effects • Black • Power Supply: AC-14.



### PMC-280

749.00

The VESTAX PMC-280 provides a 16 digital effects, each with 2 adjustable parameters displayed with highly visible LEDs. Each channel comes with a 3 band isolator. 2 individual RCA outputs and XLR outputs on MASTER 1. Digital connection is available by installing the optional USB board (not included) to the front panel of the PMC-280. The input signal sent through USB can be assigned to PGM4 and outputted from MASTER 1 • Power Supply: AC-14.

**- OPTION: "TUB-1" USB Port for infinite digital connectivity.**



### PMC-06PROA VCA BLK

499.00

With a shaped up SLIM fit, this professional mixing controller is great for speed cuts and dynamic scratching. As the space between two turntables is considerably reduced, the possibility to perform some amazing juggling and other tricks is huge.

TECHNICAL SPECIFICATIONS: • LINE IN (RCA) X 2 • PHONO IN (RCA) X 2 • MIC IN (1/4INCH) X 2 • LINE OUT X 3 (MASTER OUT RCA X 2 - HEADPHONE OUT 1/4INCH) • WORLD'S FIRST STANDARD "HAMSTER" SWITCH (CF REVERSE) • CROSS FADER CURVE ADJUST • 2 BAND EQ • DIMENSIONS: 262(W) X 106(H) X 330(D)MM / WEIGHT: 4.0 KG • POWER SUPPLY: AC-14 (DC-15A FOR NON-VCA MODEL) • REPLACEMENT FADERS: CF-PCV/CF-CC/IF-05PC



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.

Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

copyright © Jam Industries Ltd.

One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009


Sugg.  
Retail

Sugg.  
Retail

NEW

### PMC-05PRO4

Re-innovated, once again, for optimal performance for all DJs • For mix and/or scratch • New cross fader with adjustable torque and adjustable cut lag sensitivity • HID control compatible • 3 BAND EQ/ISOLATOR • Functionally control layout for easy operability • Multiple in/out connection: XLR out, PGM THRU in, PHONO/LINE select switch, 1/4inch booth out • MUTE LED indicator for ON/OFF status • AUX channel for variable inputs: MIC, LINE, Option • Compatible with CoreAudio (Mac) & ASIO(Windows). **Available Dec. 2009.**



### TUB-1

125.00

Optional USB board for PMC-08Pro, PMC-280, PMC-05Pro3 DX, replacement USB board for VMC-002XLusb / VMC-004XLusb / VMC-004FXusb • Uses standard software drivers found in the PC's operating system • Allows for digital audio in/out between mixer and PC • USB 2.



### CLS-1

15.00

Cut Lag Spacer, optional rubber stopper to install in cross fader • Reduces cut-in time • Pack of 2 • Works with QFO, PMC-05PRO3, 05, ProSL, 007, 07PRO, 06PROA.

## Turntables

### PDX-2000mkII

625.00

ASTS Floating-Suspension Tonearm System (patented) • Non skipping plus feedback prevention • Power switch on top for "Motor off-on" Effects • Ultra pitch control +/- 50% • Special 100 mm fine pitch control fader • Super direct drive 33/45 rpm • Adjustable start and break time • Reverse facility for creative playing • Anti feedback body with starting silver finish.



### PDX-3000

810.00

- Torque Simulator: performance DJs ask for powerful acceleration. On the other hand, the torque characteristic for long mixes and electronica requires being fluent, but able to delicately control the rotation. These 2 torque characteristics are absolutely incompatible. Vestax has digitally simulated these 2 different rotational characteristics fully, making the PDX-3000 the world's first turntable to have a torque simulator. With this new feature, there's no DJ style that can't be played.
- The new digital servo enables complete slave operation of the PDX-3000 via MIDI control from external devices such as sequencers and Faderboards, to play synchronized or scaled sounds. A feature that will expand the possibility of the turntable.
- The PDX-3000 has the original A.S.T.S straight arm.
- Fast and accurate beat matching adjustment with a 100mm (3.93") +/-10% fine pitch control fader, without the center indent. The fader movement on this new model has been tightened in order to allow smaller and more accurate pitch adjustments. The Ultra Pitch Fader controls the pitch range by +/-50%. Combined with the fine pitch fader, a total pitch control of +/-60 % is possible.



### PDX-3000Mix

925.00

Same as PDX-3000 but with the new universal S arm. Dynamic static balance and vibration absorption pipes have been applied to the new S type tone arm, creating an excellent tone and following capability.



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.

Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com




PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

copyright © Jam Industries Ltd.

One Year Warranty / Garantie d'un an

Effective October 1, 2009 / En vigueur le 1 octobre, 2009  
Replaces March 1, 2009 / Remplace le 1 mars, 2009

Suggested Retail Price List

	Sugg. Retail		Sugg. Retail
<b>DSC-2000</b>	85.00	<b>VR-1SS</b>	30.00
Special dust cover for the PDX-2000. May be used with PDX-2000MKII, PDX-3000, PDX-3000Mix, but to do so, you also need to purchase model DHS-1.		Handy Trax replacement stylus.	
<b>DHS-1</b>	25.00	<b>VR-1SPP</b>	40.00
PDX-2000MKII, PDX-3000, PDX-3000Mix turntables.		Handy Trax stylus for 78 RPM.	
<b>DSL-1</b>	25.00		
Miniature stylus lamp (removable)			
<b>Controller One</b>	2500.00		
Musical Instrument For DJs			
<ul style="list-style-type: none"> <li>• Control the vinyl by hitting notes and keys just like any other instrument</li> <li>• Control and play notes by means of buttons, faders, or foot pedals</li> <li>• Use the pitch fader or the SCALE BUTTON to match the pitch speed instantly to major and minor scales</li> <li>• Change the scale with the foot switch while you scratch, just as a guitarist would do with a wah pedal or guitar effects • Play with a variable pitch range of <math>\pm 8/\pm 10/\pm 60\%</math></li> <li>• 7 SEG pitch LED for easy view and to know what note or pitch point you are on</li> <li>• Vestax's original powerful AC direct drive motor provides the best torque and stable speeds to perform the best in sounds</li> <li>• Pitch bend shifts up and down in half tones to play sharp and flat notes, enabling you to hit the notes and keys precisely.</li> </ul>			
			
<b>Handy Trax</b>	190.00		
For the DJ on the move • Portable, durable and versatile • Great for record shopping • Built-in speaker • Volume fader • Dynamic tone arm • Rugged • Includes protective carry case • Stereo line in • Line out • 3 speeds (33 1/3, 45, and 78 rpm) • Power Supply: AC12H or battery powered (65 hours) • <b>Replacement Stylus: VR-1SS, VR-1SPP</b>			
			
<b>Handy Trax USB</b>	249.00		
The Handy Trax, combined with USB connection to convert vinyl to digital files - now even handier • 2ch USB audio out for easy digital converting • 48kHz / 24bit (max) • Mono 2in / 2out (Phono / Line selectable) • Input Volume Control • Instant software for conversion included • <b>Replacement Stylus: VR-1SS, VR-1SPP</b>			
			

\*SUGGESTED RETAIL\* ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.

Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193  
Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.

One Year Warranty / Garantie d'un an

Suggested Retail Price List

Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail	Sugg. Retail
--	-----------------	-----------------

## Mixing Accessories

### DM-01

190.00

Best output balance for DJ monitoring. Smooth adjust mechanism to fit perfectly and a housing mechanism that copes with any monitoring position. Soft ear pads for tireless mixing. Compact fold-up design.



### HMX-1

125.00

Japans top female DJ MAYUMI has collaborated with Vestax to create a headphone never seen before. This heart shape headphone is not only stylish and cute, but has everything that it needs to be in the club used by the professional. Available in White & Pink. **Special order only.**



### IMX-1

85.00

In-ear DJ headphones • Dynamic live sound produced by highly efficient 11mm driver unit & high precision metal housing • Selectable MID-LOW frequency balance to adjust with external sounds • Durable coiled cord • Case included.



### EP-1BLK

20.00

45 ADAPTOR FOR VESTAX TURNTABLE



### PDX2000 SlipMat

25.00

Pair of slipmats for PDX2000.



### SlipMat Geisha

25.00

Single Vestax Slip Mat



### SlipMat Samurai

25.00

Single Vestax Slip Mat



### Vestax T-Shirt

19.95

Available in black • Size Large or X-Large.

### Vestax Banner

49.95

"Vestax" red lettering on heavy black vinyl • 5' x 3'.

### Vestax Logo Sticker

Glossy peel-off logo sticker • Black background, red logo • 18cm x 6cm.

N/C



"SUGGESTED RETAIL" ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.  
Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Sociale Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

copyright © Jam Industries Ltd.



One Year Warranty / Garantie d'un an

Suggested Retail Price List



Effective October 1, 2009 / En vigueur le 1 octobre, 2009

Replaces March 1, 2009 / Remplace le 1 mars, 2009

	Sugg. Retail	Sugg. Retail
<b>Replacement Cross Faders</b>		
<b>AC12H</b>	20.00	
AC/DC power adaptor HandyTrax • CSA approved.		
<b>DC-8</b>	60.00	
CDX-05 power adaptor.		
<b>DC-9</b>	40.00	
Power adaptor for VCI-100, VCI-300, VCM-100, VCM-600, TR-1.		
<b>DC-15</b>	40.00	
AC/DC power adaptor for all other Vestax mixers, Effector series.		
<b>AC-14</b>	30.00	
PSU for PMC-05Pro3 VCA, PMC-05ProSL VCA, PMC-06Pro VCA, VMC-004XL, VMC-185XL.		
<b>AC-20</b>	99.00	
PSU for PMC-08Pro, PMC-500, PMC-CX, PMC-580Pro.		
<b>CF-CC</b>	165.00	
Digital Cross Fader w/ adjustable cut control. Upgradable models: PMC-05Pro3, PMC-05Pro3 VCA, PMC-05Pro2 (only serial #'s beginning with "G"), PMC-05ProSL, PMC-05ProSL VCA, PMC-06ProA, PMC-06ProA VCA, PMC-07Pro, PMC-07ISP.		
<b>CF-R(US)</b>	65.00	
Improved version of original CF-R model • 45mm replacement cross fader for PCV-002, CDX-12B, CDX-15, PMC-15mkII, PMC-17A, PMC-170A, CDX-12, PMC-25 (optional), PMC-26, MW-3000, PMC-27, PMC-270A (optional), PMC-05A, PMC-03A, PMC-005AmkII, PMC-05FX, PMC-15A, PMC-15mkII, VMC-002, VMC-004.		
<b>CF-PCV</b>	125.00	
Replacement cross fader for all PMC-05PRO, PMC06PRO, PMC-07PRO, PMC-250, PCV-002, PCV-175, PCV-180, PCV-275, PCV-003, PCV-150 • PMC-CX, PMC-500 • Replaces CF-05 PRO. Upgrade fader for VMC-002, VMC-004, QFO.		
<b>CF-08</b>	125.00	
Replacement crossfader for PMC-08Pro.		
<b>IF-08</b>	99.00	
Input fader for PMC-08Pro.		
<b>IS-05PRO</b>	60.00	
Replacement input transformer switch for PMC-05PROII, PMC-06PRO, PMC-07PRO, PMC-07PROD, PMC-06PROD, PMC-05PROD.		
<b>IS-05PRO2</b>	60.00	
Replacement input transformer switch for PMC-05PROIII.		
<b>IS-08</b>	60.00	
Replacement input transformer switch for PMC-08Pro.		
<b>CLS-1</b>		15.00
Cut Lag Spacer, optional rubber stopper to install in cross fader • Reduces cut-in time • Pack of 2 • Works with QFO, PMC-05PRO3, 05, ProSL, 007, 07PRO, 06PROA.		
<b>For other replacement models, please contact Roger Dussault in our Parts Department:</b>		
Tel: 514-457-2555 ext. 202 • 1-877-JAM-LINE		
Fax: 514-457-9016 • 1-800-563-2591		
email: roger.dussault@eriksonpro.com		

\*SUGGESTED RETAIL\* ARE SUGGESTIONS ONLY. YOU ARE UNDER NO OBLIGATION TO ACCEPT THESE SUGGESTIONS AND YOU WILL IN NO WAY SUFFER IN OUR BUSINESS RELATIONS (OR IN YOUR RELATIONS WITH ANY OTHER PERSON) IF YOU FAIL TO ACCEPT THESE SUGGESTIONS.  
Les "prix suggérés" mentionnés ici ne sont que des suggestions. Vous êtes nullement obligé d'accepter ces suggestions et, si vous ne les acceptez pas, nos relations de travail n'en seront touchées d'aucune façon.

PRICES DO NOT INCLUDE GST AND ARE SUBJECT TO CHANGE WITHOUT NOTICE.  
PRIX N'INCLUS PAS LA TPS ET SONT SUJETS A CHANGEMENT SANS PREAVIS.

Phone Orders: 1-800-667-3745 • Fax Orders: 888-918-2244 or 514-738-5193

Service Phone: 877-JAMLINE or 514-738-8155 • Service Fax: 1-800-563-2591

Head Office - Siège Social: Montreal 21000 Trans-Canadienne • Baie D'Urfé, QC, H9X 4B7 • tel: (514) 457-2555 • fax: (514) 457-0055 • www.eriksonaudio.com

copyright © Jam Industries Ltd.

